Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

# SAS-521F-4

# **Bilogical Antenna**

25 MHz - 4 GHz

For rapid deployment along with the mobility of small package, this Bilogical Antenna provides an inexpensive solution to broadband applications.

Frequency Range: 25 MHz - 4 GHz

Gain: 6 dBi

Maximum Continuous Power: 400 Watts

Impedance:  $50 \Omega$ 

Max Radiated Field: 100 V/m

Connector: N-Type, female

Mounting Base: 1/4 - 20 Thread, female

**Physical Dimensions** 

 Height:
 22.2 in. (56.4 cm)

 Width:
 38.5 in. (97.8 cm)

 Length:
 38.3 in. (97.3 cm)

 Weight:
 4.5 lb.'s (2.04 kg)

#### **Features**

- Hybrid Log Periodic Biconical Antenna
- Wide Frequency Range of 25 MHz 4 GHz
- Receive and Transmit
- Individually Calibrated (1, 3 and 10 Meter calibration included, horizontal polarization)
- FCC, MIL-STD, VDE and TEMPEST Testing
- Rugged Construction

The A.H. Systems' SAS-521F-4 Bilogical Antenna is one of our latest antennas, providing an inexpensive solution to wide band applications. Whether testing inside a shielded enclosure or outdoors, this antenna will display efficient performance characteristics through the frequency range of 25 MHz to 4 GHz.


## **Recommended Accessories**


- PAM-0204 (Preamplifier)
- SAC-211-0.5 (0.5 meter N/N Cable)
- BTE-510 (Bilogical Tripod Extension)
- ATU-514 (Antenna Tripod Unit)
- AEH-510 (Azimuth and Elevation Head, Plastic)



**■** ⊌

Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com







Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com



## A.H. Systems Inc. 9710 Cozycroft Ave. Chatsworth, CA 91311

Phone (818) 998-0223 Fax (818) 998-6892 E-mail: Info@A.H.Systems.com Web site: http://www.AHSqstems.com

Half Power Beamwidth Model SAS-521F-4

